

PROPERTY OWNER SHALL BE RESPONSIBLE FOR MAINTAINING DRIVEWAY APPROACH,

PROPOSED MODIFICATIONS TO THESE STANDARDS MUST HAVE PRIOR APPROVAL FROM THE

RESIDENTIAL DRIVEWAY

RURAL

APPROACH

MONO COUNT

PUBLIC WORKS DEPT:

4-10-2000

DRIVEWAY APPROACH SHALL BE 3" THICK TYPE B, 4" MAX. ASPHALT PAVING MIX OR 4"


SUBGRADE SHALL BE A MIN. OF 4" OF SELECT NATIVE MATERIAL, DECOMPOSED GRANITE

OR 3/4" AGGREGATE BASE COMPACTED TO 90% MIN.

INCLUDING CULVERT.

DEPARTMENT OF PUBLIC WORKS

OF 6 SACK MIX CONCRETE.



NOTES:

I PORTLAND CONCRETE CEMENT SHALL BE A 7 SACK MIX WITH A 5% AIR CONTENT.

2. SUBGRADE SHALL BE COMPACTED TO 90% MINIMUM.

- 3. MAXIMUM SLOPE OF DRIVE APPROACH SHALL BE * 10% ON LESS OTHERWISE APPROVED BY THE DEPARTMENT OF PUBLIC WORKS.
- 4. FLAT BOTTOM OF THE APPROACH SHALL NOT BEGIN CLOSER THAN 20 FEET FROM END OF CURB RETURN.
- FORMS SHALL BE INSPECTED BY THE DEPARTMENT OF PUBLIC WORKS PRIOR TO POURING CONCRETE.
- 6. SNOW REMOVAL FROM THE DRIVEWAY APPROACH SHALL NOT BE DEPOSITED WITHIN THE RIGHT-OF-WAY.

MONO COUNTY

RESIDENTIAL DRIVEWAY
APPROACH
IN CURB AND GUTTER


DRAWN: J.W.	DATE	DATE: 2-14-85	
APPROVED:	PUBLI	PUBLIC WORKS	DEPT.

"ATTACHMENT A"

PLEASE USE THIS SPACE TO DRAW YOUR PROJECT DIAGRAM:

PLAN


RIGHT OF WAY



EDGE OF ROAD PAVEMENT

PROFILE

CENTER OF ROADWAY



EXAMPLE!