

Mono County Community Development Department

1290 Tavern Rd. PO Box 347
Mammoth Lakes, CA 93546
760.924.1800, fax 924.1801
Inspection hotline : 760.924.1827
commdev@mono.ca.gov

Building Department

PO Box 8
Bridgeport, CA 93517
760.932.5420, fax 932.5431
www.monocounty.ca.gov

2025 CALGreen INSTALLATION CERTIFICATE

RMM2

Residential Mandatory Measures (RMM)

Site Address: _____

Permit Number: _____

Feature or Measure	Enforcing Agency to specify entity which will provide verification				Verificati on Date	Signature and title of person who verified compliance with measure
	Enforcing Agency	Installer	Designer	Third party		
	<input type="checkbox"/> All	<input type="checkbox"/> All	<input type="checkbox"/> All	<input type="checkbox"/> All		
PLANNING AND DESIGN Site Development						
4.106.2 Storm water drainage and retention during construction. A plan is developed and implemented to manage storm water drainage during construction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.106.3 Grading and paving. The site shall be planned and developed to keep surface water away from buildings. Construction plans shall indicate how site grading or a drainage system will manage all surface water flows.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.106.4 Electric vehicle (EV) charging for new construction. Provide capability, EV readiness, or EV chargers installed per Section 4.106.4.1 for one- and two-family dwellings. Multifamily dwellings shall provide low-power Level 2 EV charging receptacles or Level 2 EV chargers for 100% of assigned parking spaces per Section 4.106.4.2.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
ENERGY EFFICIENCY General						
4.201.1 Scope. Residential buildings shall meet or exceed the minimum standard design required by the 2025 California Energy Code. <i>See Title 24, Part 6, for compliance forms and necessary documentation.</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
WATER EFFICIENCY AND CONSERVATION						
4.303.1.1 Water closets. The effective flush volume of all water closets shall not exceed 1.28 gallons per flush.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.303.1.2 Urinals. The effective flush volume of wall-mounted urinals shall not exceed 0.125 gallons per flush. The effective flush volume of all other urinals shall not exceed 0.5 gallons per flush.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

2025 CALGreen INSTALLATION CERTIFICATE
Residential Mandatory Measures (RMM)

RMM2

Site Address: _____

Permit Number: _____

Feature or Measure	Enforcing Agency to specify entity which will provide verification				Verificati on Date	Signature and title of person who verified compliance with measure
	Enforcing Agency	Installer	Designer	Third party		
	<input type="checkbox"/> All	<input type="checkbox"/> All	<input type="checkbox"/> All	<input type="checkbox"/> All		
4.303.1.3.1 Single Showerhead. Showerheads shall have a maximum flow rate of not more than 1.8 gallons per minute at 80 psi. Showerheads shall be certified to the performance criteria of the U.S. EPA WaterSense Specification for Showerheads.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.303.1.3.2 Multiple showerheads serving one shower. When a shower is served by more than one showerhead, the combined flow rate of all showerheads and/or other shower outlets controlled by a single valve shall not exceed 1.8 gallons per minute at 80 psi, or the shower shall be designed to allow only one shower outlet to be in operation at a time.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.303.1.4.1 Residential lavatory faucets. The maximum flow rate of residential lavatory faucets shall not exceed 1.2 gallons per minute at 60 psi. The minimum flow rate of residential lavatory faucets shall not be less than 0.8 gallons per minute at 20 psi.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.303.1.4.2 Lavatory faucets in common and public use areas. The maximum flow rate of lavatory faucets installed in common and public use areas (outside of dwellings or sleeping units) in residential buildings shall not exceed 0.5 gallons per minute at 60 psi.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.303.1.4.3 Metering faucets. Metering faucets when installed in residential buildings shall not deliver more than 0.2 gallons per cycle.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.303.1.4.4 Kitchen faucets. The maximum flow rate of kitchen faucets shall not exceed 1.8 gallons per minute at 60 psi. Kitchen faucets may temporarily increase the flow above the maximum rate, but not to exceed 2.2 gallons per minute at 60 psi, and must default to a maximum flow rate of 1.8 gallons per minute at 60 psi. <i>Note: Where complying faucets are unavailable, aerators or other means may be used to achieve reduction.</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Outdoor Water Use						

Site Address: _____

Permit Number: _____

Feature or Measure	Enforcing Agency to specify entity which will provide verification				Verificati on Date	Signature and title of person who verified compliance with measure
	Enforcing Agency	Installer	Designer	Third party		
	<input type="checkbox"/> All	<input type="checkbox"/> All	<input type="checkbox"/> All	<input type="checkbox"/> All		
4.304.1 Outdoor potable water use in landscape areas. New residential developments with an aggregate landscape area equal to or greater than 500 square feet shall comply with one of the following options: 1. A local water efficient landscape ordinance or the current California Department of Water Resources' Model Water Efficient Landscape Ordinance (MWELo), whichever is more stringent, or 2. Projects with aggregate landscape areas less than 2500 square feet may comply with the MWELo's Appendix D Prescriptive Compliance Option.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
MATERIAL CONSERVATION AND RESOURCE EFFICIENCY Enhanced Durability and Reduced Maintenance						
4.406.1 Rodent proofing. Annular spaces around pipes, electric cables, conduits or other openings in sole/bottom plates at exterior walls shall be protected against the passage of rodents by closing such openings with cement mortar, concrete masonry or a similar method acceptable to the enforcing agency.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Construction Waste Reduction, Disposal and Recycling						
4.408.1 Construction waste management. Recycle and/or salvage for reuse a minimum of 65 percent of the nonhazardous construction and demolition waste in accordance with either Section 4.408.2, 4.408.3 or 4.408.4, or meet a more stringent local construction and demolition waste management ordinance.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Building Maintenance and Operation						
4.410.1 Operation and maintenance manual. An operation and maintenance manual in compliance with Items 1-10 shall be placed in the building.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.410.2 Recycling by occupants. Where 5 or more multifamily dwelling units are constructed on a building site, provide readily accessible areas that serve the entire building and are identified for the depositing, storage and collection of non-hazardous materials for recycling, including (at a minimum) paper, corrugated cardboard, glass, plastics, organic waste, and metals or meet a lawfully enacted local recycling ordinance, if more restrictive. <i>Exception: Rural jurisdictions that meet and apply for the exemption... will be exempt from the organic waste portion of this section.</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
ENVIRONMENTAL QUALITY Fireplaces						

Site Address: _____

Permit Number: _____

Feature or Measure	Enforcing Agency to specify entity which will provide verification				Verificati on Date	Signature and title of person who verified compliance with measure
	Enforcing Agency	Installer	Designer	Third party		
	<input type="checkbox"/> All	<input type="checkbox"/> All	<input type="checkbox"/> All	<input type="checkbox"/> All		
4.503.1 General. Any installed gas fireplace shall be a direct-vent sealed-combustion type. Any installed woodstove or pellet stove shall comply with US EPA New Source Performance Standards (NSPS) emission limits as applicable, and shall have a permanent label indicating they are certified to meet the emission limits. Woodstoves, pellet stoves and fireplaces shall also comply with applicable local ordinances.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Pollutant Control						
4.504.1 Covering of duct openings and protection of mechanical equipment during construction. Duct openings and other related air distribution component openings shall be covered during construction.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.504.2.1 Adhesives, sealants and caulks. Adhesives, sealants and caulks shall be compliant with VOC and other toxic compound limits.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.504.2.2 Paints and coatings. Paints, stains and other coatings shall be compliant with VOC limits.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.504.2.3 Aerosol paints and coatings. Aerosol paints and coatings shall be compliant with product-weighted MIR limits for ROC and other toxic compounds.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.504.2.4 Verification. Documentation shall be provided to verify that VOC limit- compliant finish materials have been used.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.504.3 Carpet systems. Carpet and carpet systems shall be compliant with VOC limits.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.504.4 Resilient flooring systems. At least 80% of floor area receiving resilient flooring shall be compliant with VOC limits.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
4.504.5 Composite wood products. Hardwood plywood, particleboard and medium density fiberboard (MDF) used on the interior or exterior of the building shall comply with low formaldehyde emission standards. See Section 4.504.5.1 regarding documentation.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Interior Moisture Control						
4.505.2 Concrete slab foundations. Concrete slab-on-grade foundations with vapor retarders shall have a capillary break installed.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

Site Address: _____

Permit Number: _____

Feature or Measure	Enforcing Agency to specify entity which will provide verification				Verification Date	Signature and title of person who verified compliance with measure
	Enforcing Agency	Installer	Designer	Third party		
	<input type="checkbox"/> All	<input type="checkbox"/> All	<input type="checkbox"/> All	<input type="checkbox"/> All		
4.505.3 Moisture content of building materials. Moisture content of building materials used in wall and floor framing is checked to be 19 percent or less before enclosure.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Indoor Air Quality and Exhaust						
4.506.1 Bathroom exhaust fans. Bathrooms shall be mechanically ventilated and ducted to terminate outside the building and comply with updated Title 24, Part 6 indoor air quality standards.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Environmental Comfort						
4.507.2. Heating and air conditioning system design. Heating and air conditioning systems shall be sized, designed, and equipment is selected using the following methods: 1. Establish heat loss and heat gain values according to ANSI/ACCA 2 Manual J-2011 or equivalent. 2. Size duct systems according to ANSI/ACCA 1 Manual D - 2014 or equivalent. 3. Select heating and cooling equipment according to ANSI/ACCA 3 Manual S 2014 or equivalent.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
INSTALLER AND THIRD PARTY QUALIFICATIONS Qualifications						
702.1 Installer training. HVAC system installers are trained and certified in the proper installation of HVAC systems.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
702.2 Special inspection. Special inspectors employed by the enforcing agency must be qualified and able to demonstrate competence in the discipline they are inspecting.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Verifications						
703.1 Documentation. Verification of compliance with this code shall include construction documents, plans, specifications, builder or installer certification, inspection reports, or other methods acceptable to the enforcing agency which show substantial conformance.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

Site Address: _____

Permit Number: _____

2025 CALGreen INSTALLATION CERTIFICATE
Residential Mandatory Measures (RMM)

The following section shall be completed by a person/persons with overall responsibility for the planning, design and/or construction of the project.

DECLARATION STATEMENT

Section 1 Design Verification

Complete all parts of Section 1 'Design Verification' and submit completed checklist (Columns 1 and 2) with the plans and building permit application to the building department.

The owner, licensed design professional(s), other qualified individual(s), and/or building department plan reviewer have reviewed the plans and understand that the items checked above have been incorporated into the project plans in accordance with the requirements set forth in the **2025 California Green Building Standards Code**.

Owner or Responsible Person's Name: _____

Owner or Responsible Person's Signature: _____

Date Signed: _____

Position/Title: _____

Licensed Design Professional Name: _____

Licensed Design Professional Signature: _____

Date Signed: _____

Position/Title: _____

Qualified Individual Name: _____

Qualified Individual Signature: _____

Date Signed: _____

Position/Title: _____

Building Department Plan Reviewer: _____

Building Department Plan Reviewer Signature: _____

Date Signed: _____

Position/Title: _____

Section 2 Implementation Verification

Complete, sign and submit the completed checklist together with all original signatures on Section 2 'Implementation Verification' to the Building Department prior to final inspection.

I have inspected the work and have received sufficient documentation to verify that the project identified above was constructed in accordance with this Residential Mandatory Measures Checklist and in accordance with the requirements set forth in the **2025 California Green Building Standards Code**.

Local Building Inspector/s and/or
CALGreen Special Inspector/s (where required)
Name: _____

Local Building Inspector/s and/or CALGreen Special Inspector/s
Signature: _____

Date Signed: _____

Position/Title: _____

Owner or General Contractor Name: _____

Owner or General Contractor's Signature: _____

Date Signed: _____

Position/Title: _____