CALIFORNIA ENVIRONMENTAL REPORTING SYSTEM (CERS) CONSOLIDATED EMERGENCY RESPONSE / CONTINGENCY PLAN Prior to completing this Plan, please refer to the INSTRUCTIONS FOR COMPLETING A CONSOLIDATED CONTINGENCY PLAN

A. FACILITY IDENTIFICATION AND OPERATIONS OVERVIEW														
FACILITY ID#							A1.	CERS	ID#	A2.	DATE OF I (MM/DD/Y		PARATION/REVISIO	
BUSINESS NAME (Same as Facility Name or DBA - Doing Business As) A4.														
BUSINESS SITE ADDRESS A5.														
BUSINESS SITE CITY A6. ZIP CODE CA							A7.							
TYPE OF BUSINESS (e.g., Painting Contractor) A8. INCIDENTAL OPERATIONS (e.g., Fleet Maintenance) A9.														
THIS PLAN COVERS CHEMICAL SPILLS, FIRES, AND EARTHQUAKES INVOLVING (Check all that apply): 1. HAZARDOUS MATERIALS; 2. HAZARDOUS WASTES														
B. INTERNAL RESPONSE INTERNAL FACILITY EMERGENCY RESPONSE WILL OCCUR BY (Check all that apply): 1. CALLING PUBLIC EMERGENCY RESPONDERS (e.g., 9-1-1) 2. CALLING HAZARDOUS WASTE CONTRACTOR 3. ACTIVATING IN-HOUSE EMERGENCY RESPONSE TEAM														
												NOTII	FICATIONS	
In the event of an emergency involving hazardous materials and/or hazardous waste, all facilities must IMMEDIATELY: 1. Notify facility personnel and evacuate if necessary in accordance with the Emergency Action Plan (Title 8 California Code of Regulations §3220); 2. Notify local emergency responders by calling 9-1-1; 3. Notify the local Unified Program Agency (UPA) at the phone number below; and 4. Notify the State Warning Center at (800) 852-7550.														
Facilities that generate, treat, store or dispose of hazardous waste have additional responsibilities to notify and coordinate with other response agencies. Whenever there is an imminent or actual emergency situation such as an explosion, fire, or release, the Emergency Coordinator must follow the appropriate requirements for the category of facility and type of release involved: 1. Title 22 California Code of Regulations §66265.56. Emergency Procedures for generators of 1,000 kilograms or more of hazardous waste in any calendar month. 2. Title 22 California Code of Regulations §66265.196. Response to Leaks or Spills and Disposition of Leaking or Unfit-for-Use Tank Systems. 3. Title 40 Code of Federal Regulations §302.6. Notification requirements for a release of a hazardous substance equal to or greater than the reportable quantity. 4. Title 22 California Code of Regulations §66262.34(d)(2) and Title 40 Code of Federal Regulations §262.34(d)(5)(ii) for generators of less than 1000 kilograms of hazardous waste in any calendar month. Following notification and before facility operations are resumed in areas of the facility affected by the incident, the Emergency Coordinator shall notify the local UPA and the local fire department's hazardous materials program, if necessary, that the facility is in compliance with requirements to: 1. Provide for proper storage and disposal of recovered waste, contaminated soil or surface water, or any other material that results from an explosion, fire, or release at														
the facility; and 2. Ensure that no material that is incompatible with the released material is transferred, stored, or disposed of in areas of the facility affected by the incident until cleanup procedures are completed.														
EMERGENCY RESPONSE	AMI	BULA	NCE, F	TRE, P	OLICI	E AND	CHP						9-1-1	
PHONE NUMBERS:		LIFOR	NIA ST	TATE V	WARN	ING C	ENTI	ER (CSV	VC)/CAL OES				(800) 852-7550	
	NAT	ΓΙΟΝΑ	AL RES	PONSI	E CEN	TER (N	NRC)						(800) 424-8802	
POISON CONTROL CENTER							,	(800) 222-1222						
	LOC	CAL U	NIFIEL	PRO	GRAM	AGEN	ICY (UPA)						C1.
	OTH	HER (S	Specify)	:								C2.		C3.
NEAREST MEDICAL FACILITY / HOSPITAL NAME: C5.														
AGENCY NOTIFICATION PHO		NUM	BERS:						OXIC SUBSTANC LITY CONTROL E		,	_ ´ _ [(916) 255-3545	C6.
				U	.S. EN	VIRON	IMEN	NTAL PI	ROTECTION AGE	ENCY	(US EPA)		(800) 300-2193	
				CALIFORNIA DEPT. OF F				Γ. OF FI	SH AND WILDLI	FE (CI	OFW)		(916) 358-2900	
				U	.S. CO	AST G	UAR	D (USC	G)				(202) 267-2180	
				C	AL OS	НА							(916) 263-2800	
			C.	CAL FIRE OFFICE OF THE STATE FIRE MARSHAL (OSFM) (916) 323-7390										
				О	THER	(Speci	fy):					C7.		C8.
				О	THER	(Speci	fy):					C9.		C10.

Rev. 03/07/17 Page 1 of 4

INTERNAL FACILITY EMERGENCY (☐ 1. VERBAL WARNINGS;	COMMUNICATIONS OR ALARM NOTII 2. PUBLIC ADDRESS OR INTERC		CUR BY (Check all that apply): 3. TELEPHONE;	C11.		
☐ 4. PAGERS;	☐ 5. ALARM SYSTEM;		☐ 6. PORTABLE RADIO			
			ELEASE WILL OCCUR BY (Check all that apply):	C12.		
☐ 1. VERBAL WARNINGS; ☐ 4. PAGERS;	□ 2. PUBLIC ADDRESS OR INTERC□ 5. ALARM SYSTEM;	OM SYSTEM;	☐ 3. TELEPHONE; ☐ 6. PORTABLE RADIO			
EMERGENCY COORDINATOR CONTA			U. FORTABLE RADIO	C13.		
PRIMARY EMERGENCY COORDINAT	TOD NAME.	PHONE NO.:	DUONE NO .			
			PHONE NO.:			
ALTERNATE EMERGENCY COORDIN	nator contact and address information is av	PHONE NO.:	PHONE NO.:			
		·	č			
-	cy coordinator is designated, attach a list in RGENCY CONTAINMEN					
	ar facility's procedures for containing spills					
☐ 1. MONITOR FOR LEAKS, RUPTU	RES. PRESSURE BUILD-UP, ETC.:			D1.		
	ICAL BARRIERS (e.g., Portable spill conta	ainment walls, built-in b	perms);			
☐ 3. PROVIDE ABSORBENT PHYSIC	CAL BARRIERS (e.g., Pads, spill pigs, spil	l pillows);				
☐ 4. COVER OR BLOCK FLOOR ANI	*					
5. LINED TRENCH DRAINS AND/						
6. AUTOMATIC FIRE SUPPRESSIO						
7. ELIMINATE SOURCES OF IGNI						
8. STOP PROCESSES AND/OR OPF	· · · · · · · · · · · · · · · · · · ·					
☐ 10. SHUT OFF WATER, GAS, ELEC	*					
	GENCY RESPONDER ASSISTANCE AN	ND/OR MEDICAL AID);			
☐ 12. NOTIFY AND EVACUATE PERS	SONS IN ALL THREATENED AND/OR I	MPACTED AREAS;				
☐ 13. ACCOUNT FOR EVACUATED P	ERSONS IMMEDIATELY AFTER EVAC	CUATION;				
☐ 14. PROVIDE PROTECTIVE EQUIPMENT FOR ON-SITE EMERGENCY RESPONSE TEAM;						
☐ 15. REMOVE CONTAINERS AND/OR ISOLATE AREAS;						
☐ 16. HIRE LICENSED HAZARDOUS WASTE CONTRACTOR;						
17. USE ABSORBENT MATERIAL FOR SPILL CONTAINMENT;						
18. VACUUM SUCTION USING APPROPRIATE VACUUM (e.g., Intrinsically safe) FOR SPILL CONTROL AND/OR CLEANUP;						
☐ 19. DECONTAMINATE PERSONNEL AND EQUIPMENT WITHIN DESIGNATED AREA AND DISPOSE OF WASTEWATER AS HAZARDOUS WASTE; ☐ 20. PROVIDE SAFE TEMPORARY STORAGE OF HAZARDOUS WASTE GENERATED DURING EMERGENCY ACTIONS;						
21. OTHER (Specify):				D2.		
E. FACILITY EVACUATION						
) WILL BE USED TO BEGIN EVACUAT	ON OF THE FACILIT	Y (Check all that apply):	E1.		
1. BELLS;				E2.		
2. HORNS/SIRENS; 3. VERBAL (i.e., Shouting);						
4. OTHER (Specify):						
THE FOLLOWING LOCATION(S) WIL	L BE USED FOR AN EMERGENCY ASS	SEMBLY AREA(S) (e.g	g., Parking lot, street corner):	E3.		
Note: The Emergency Coordinator must a	ccount for all onsite employees and visitors	after evacuation.				
EVACUATION ROUTE S AND ALTER	NATE EVACUATION ROUTES ARE DE	SCRIBED AS FOLLO	WS:	E4.		
☐ 1. WRITTEN PROCEDURES DESCR	RIBING ROUTES, EXITS, AND ASSEMB	BLY AREAS:				
	NG ROUTES, EXITS, AND ASSEMBLY					
☐ 3. OTHER (Specify):			E5.			
Note: Evacuation procedures and/or maps should be posted in visible facility locations and must be included in the Contingency Plan.						
F. ARRANGEMENTS FOR EMERGENCY SERVICES						
			SERVICES			
	OCAL EMERGENCY SERVICES (Check of	one of the following):		F1.		
1. HAVE BEEN DETERMINED NO				F2.		
2. THE FOLLOWING ARRANGEM	ENTS HAVE BEEN MADE (Specify):			Γ2.		
Note: Advance arrangements with local fire and police departments, hospitals, state and local emergency response teams, and/or emergency services contractors should be made for your facility, if necessary. Large Quantity Generators must describe arrangements in the Contingency Plan.						

Rev. 03/07/17 Page 2 of 4

	G. EMERO	GENCY EQUIPMENT				
Check the applicable boxes to list emergency response equipment available at the facility, identify the location(s) where the equipment is kept, and indicate the equipment's capability, if applicable.						
TYPE	EQUIPMENT AVAILABLE G1.	LOCATION G2.	CAPABILITY G3.			
EXAMPLE	☐ CHEMICAL PROTECTIVE GLOVES	SPILL RESPONSE KIT	SINGLE USE, OIL RESISTANT ONLY			
Safety and First Aid	CHEMICAL PROTECTIVE SUITS, APRONS, AND/OR VESTS CHEMICAL PROTECTIVE GLOVES					
	3. CHEMICAL PROTECTIVE BOOTS					
	4. SAFETY GLASSES, GOGGLES, AND FACE SHIELDS					
	5. HARD HATS					
	6. AIR-PURIFYING RESPIRATORS					
	7. SELF-CONTAINED BREATHING APPARATUS (SCBA)					
	8. FIRST AID KITS					
	9. PLUMBED EYEWASH FOUNTAIN AND/OR SHOWER					
	10. PORTABLE EYEWASH KITS AND/OR STATION					
	11. OTHER					
Fire Fighting	12. PORTABLE FIRE EXTINGUISHERS					
righting	13. FIXED FIRE SUPPRESSION SYSTEMS AND/ OR SPRINKLERS					
	14. ☐ FIRE ALARM BOXES					
	15. ☐ OTHER					
Spill Control	16. ☐ ALL-IN-ONE SPILL KIT					
and	17. ☐ ABSORBENT MATERIAL					
Clean-Up	18. CONTAINER FOR USED ABSORBENT					
	19. ☐ BERM AND/OR DIKING EQUIPMENT					
	20. ☐ BROOM					
	21. ☐ SHOVEL					
	22. VACUUM					
	23. EXHAUST HOOD					
	24. ☐ SUMP AND/OR HOLDING TANK					
	25. CHEMICAL NEUTRALIZERS					
	26. ☐ GAS CYLINDER LEAK REPAIR KIT					
	27. ☐ SPILL OVERPACK DRUMS					
	28. ☐ OTHER					
Communi- cations	29. TELEPHONES (e.g., Cellular)					
and	30. ☐ INTERCOM AND/OR PA SYSTEM					
Alarm Systems	31. ☐ PORTABLE RADIOS					
	32. AUTOMATIC ALARM CHEMICAL MONITORING EQUIPMENT					
Other	33. ☐ OTHER					
	34. ☐ OTHER					

Rev. 03/07/17 Page 3 of 4

H. EARTHQUAKE VULNERABILITY					
Identify areas of the facility that are vulnerable to hazardous materials releases due to seismic	motion. These areas require immediate isolation and inspection				
VULNERABLE AREAS (Check all that apply): 1. HAZARDOUS MATERIALS AND/OR WASTE STORAGE AREAS 2. PROCESS LINES AND PIPING 3. LABORATORY 4. WASTE TREATMENT AREA	LOCATIONS (e.g., Shop, outdoor shed, lab): H2.				
Identify mechanical systems vulnerable to releases / spills due to earthquake-related motion. T	hese systems require immediate isolation and inspection				
VULNERABLE SYSTEMS AND/OR EQUIPMENT (Check all that apply): 1. SHELVES, CABINETS AND/OR RACKS 2. TANKS AND SHUT-OFF VALVES 3. PORTABLE GAS CYLINDERS 4. EMERGENCY SHUT-OFF AND/OR UTILITY VALVES 5. SPRINKLER SYSTEMS 6. STATIONARY PRESSURIZED CONTAINERS (e.g., Propane tank)	LOCATIONS: H4.				
I. EMPLOYEE TRA	AINING				
Employee training is required for all employees and/or contractors handling hazardous materia Most facilities will need to submit a separate Training Plan. However, your CUPA may accept Employee training plans may include the following content: • Applicable laws and regulations; • Emergency response plans and procedures; • Safety Data Sheets; • Hazard communication related to health and safety; • Methods for safe handling of hazardous substances; • Hazards of materials and processes (e.g., fire, explosion, asphyxiation); • Hazard mitigation, prevention and abatement procedures; • Coordination of emergency response actions; • Notification procedures for local emergency responders, CUPA, Cal OES, and onsite personnel;					
Charle the applicable haves below to indicate how the applicate training program is administed	rod.				
Check the applicable boxes below to indicate how the employee training program is administe 1. FORMAL CLASSROOM					
☐ 6. NOT APPLICABLE SINCE FACILITY HAS NO EMPLOYEES ☐ 7. CHECK IF A SEPARATE EMPLOYEE TRAINING PLAN IS USED AND UPLOAD ☐ 8. CHECK IF EMPLOYEE TRAINING IS COVERED BY THE ABOVE REFERENCEI	O CONTENT AND OTHER DOCUMENTS ONSITE 14.				
 EMPLOYEE TRAINING FREQUENCY AND RECORDKEEPING TRAINING MUST Provided initially for new employees as soon as possible following the date of hire. Ne hazardous materials handling and/or hazardous waste management without proper training; Provided within six months from the date of hire for new employees at a large quantity gene. Ongoing and provided at least annually; Amended prior to a change in process or work assignment; Given upon modification to the Emergency Response/Contingency Plan. Large Quantity Generator Training: Large quantity generators (1,000 kg or more) must reta. A written description of the type and amount of both initial and ongoing training that will be given waste management and/or emergency response. The name, job title and job description for each position at the facility related to hazardous of Current employee training records must be retained until closure of the facility and former termination of employment. 	w employees should not work in an unsupervised position that involves erator; un written plan and documentation of employee training which includes: iven to persons filling each job position having responsibility for hazardous waste management.				
Small Quantity Generator Training: Small quantity generators (less than 1,000 kg) must procedures but a written employee training plan and training records are not required. In order training requirement, an employee training plan and training records may be made available.					
Hazardous Materials Business Plan Training: Businesses must provide initial and annual en may be based on the job position and training records must be made available for a period of a					
J. LIST OF ATTACHMENTS					
Check one of the following:	л.				
☐ 1. NO ATTACHMENTS ARE REQUIRED; or ☐ 2. THE FOLLOWING DOCUMENTS ARE ATTACHED:	J2.				

Rev. 03/07/17 Page 4 of 4